**SUITABLE FOR ALL OUR COMPOSITE DECKING RANGES** 




# **Start** COMPONENTS

- A. Composite Decking
- **B.** Composite Joists
- C. Stainless Steel Fixing Clips
- D. Stainless Steel Starter Clips
- E. 50mm Angle Brackets
- F. Screws

#### **Optional**

- **G.** Composite Decking Edging Trim
- H. Adhesive
- I. Weed Membrane
- J. Decking Pedestals / Risers
- K. Treated & Graded Decking Joists (4" x 2")



#### PLEASE NOTE. IF THESE FITTING INSTRUCTIONS ARE NOT ADHERED TO IT MAY VOID YOUR WARRANTY


**SUITABLE FOR ALL OUR COMPOSITE DECKING RANGES** 



# Step 1

#### THIS IS CRUCIAL


Make sure you lay your deck on a minimum of a 3% incline away from you house so water won't sit!




PLEASE NOTE. IF THESE FITTING INSTRUCTIONS ARE NOT ADHERED TO IT MAY VOID YOUR WARRANTY









PLEASE NOTE. IF THESE FITTING INSTRUCTIONS ARE NOT ADHERED TO IT MAY VOID YOUR WARRANTY

**SUITABLE FOR ALL OUR COMPOSITE DECKING RANGES** 



Step 3

To lay your composite deck boards you need to begin by installing starter clips along the leading edge of your frame. This will give you a buffer for your composite deck boards to be laid against.



Remember to allow a 5mm expansion gap against any solid structure



PLEASE NOTE. IF THESE FITTING INSTRUCTIONS ARE NOT ADHERED TO IT MAY VOID YOUR WARRANTY

**SUITABLE FOR ALL OUR COMPOSITE DECKING RANGES** 



Step 4

Once you have slotted your first board into the starter clips, use the stainless steel fixing clips for the following boards. The clips will give you a 3-5mm expansion.








PLEASE NOTE. IF THESE FITTING INSTRUCTIONS ARE NOT ADHERED TO IT MAY VOID YOUR WARRANTY

**SUITABLE FOR ALL OUR COMPOSITE DECKING RANGES** 



# Step 5

Once you have laid your decking the last length needs securing, use a screw at 45° to fix the board as shown









trim is designed to go around the edge of your deck to hide the showing grooves of the boards / fascias.

The trim is fitted using our GB PRO Adhesive



PLEASE NOTE. IF THESE FITTING INSTRUCTIONS ARE NOT ADHERED TO IT MAY VOID YOUR WARRANTY

**SUITABLE FOR ALL OUR COMPOSITE DECKING RANGES** 



# Finish!

Using a stiff nylon or synthetic brush and composite cleaner will keep your deck looking fresh! Simply rinse with fresh clean water <u>DO NOT USE</u> bleach based cleaners.









PLEASE NOTE. IF THESE FITTING INSTRUCTIONS ARE NOT ADHERED TO IT MAY VOID YOUR WARRANTY